

Location details

Brisbane City

Above-ground:

D

In-ground:

C

Building member details

Joinery (non-structural)

Environment:

Exposed

Target design life (years):

15

Properties for [amoora]

[Download report](#)

| | |
|--------------------------------|--------------------|
| Standard trade name | amoora |
| Botanical name | <i>Amoora spp.</i> |
| Synonyms | NA |
| Origin | Asia-Pacific |
| Schedule | Schedule C |
| Hardwood | Yes |
| Density (kg/m3) | 555 |
| Durability above-ground | (3) |
| Durability in-ground | 3 |
| Hardness | S |
| Joint dry (JD) | JD4 |
| Joint green (JG) | J4 |
| Strength dry (SD) | (SD6) |
| Strength green (SG) | (S5) |

| | |
|-------------------------------|--------------|
| Standard trade name | amoor |
| Bushfire resisting | No |
| Lyctine susceptibility | (SL) |
| Termite resistance | NR |
| Advisory codes | |

Target design life, hazard zones and conditions for use

| Botanical name | <i>Amoor spp.</i> |
|--------------------------------|--------------------------|
| 5 years above-ground | Approved |
| 15 years protected | Approved |
| 15 years Above-ground:A | Approved |
| 15 years Above-ground:B | Approved |
| 15 years Above-ground:C | Approved |
| 15 years Above-ground:D | Approved |
| 15 years In-ground:A | C5 |
| 15 years In-ground:B | C5 |
| 15 years In-ground:C | C5 |
| 15 years In-ground:D | C5 |

| Botanical name | <i>Amoor spp.</i> |
|--------------------------------|--------------------------|
| 50 years protected | Approved |
| 50 years Above-ground:A | Approved |
| 50 years Above-ground:B | Not approved |
| 50 years Above-ground:C | Not approved |
| 50 years Above-ground:D | Not approved |
| 50 years In-ground:A | H5! |
| 50 years In-ground:B | C8 |
| 50 years In-ground:C | Not approved |
| 50 years In-ground:D | Not approved |

QTimber (<http://qtimber.daf.qld.gov.au>)