



Published on *QTimber* (<https://qtimber.daf.qld.gov.au>)

[Home](#) > [Build with timbers summary](#) > [Build with timbers summary](#) > [Build with timbers summary](#) >

[Help](#)

<p>Location details</p> <p>Brisbane City</p> <p>Above-ground: D</p> <p>In-ground: C</p>
<p>Building member details</p> <p>Architraves</p> <p>Environment: Protected</p> <p>Target design life (years): 15</p>

Properties for [stringybark, white]

[Download report](#)

Standard trade name	stringybark, white
Botanical name	<i>Eucalyptus eugenioides</i>
Synonyms	<i>Eucalyptus nigra</i> , <i>Eucalyptus wilkinsoniana</i>
Origin	Queensland-north, Queensland-central, Queensland-south, Australia
Schedule	Schedule B
Hardwood	Yes
Density (kg/m3)	1010
Durability above-ground	(2)
Durability in-ground	(2)
Hardness	VH
Joint dry (JD)	JD1
Joint green (JG)	J2
Strength dry (SD)	(SD3)

Standard trade name	stringybark, white
Strength green (SG)	(S2)
Bushfire resisting	No
Lyctine susceptibility	NS
Termite resistance	NR
Advisory codes	

Target design life, hazard zones and conditions for use

Botanical name	<i>Eucalyptus eugenioides</i>
5 years above-ground	Approved
15 years protected	Approved
15 years Above-ground:A	Approved
15 years Above-ground:B	Approved
15 years Above-ground:C	Approved
15 years Above-ground:D	Approved
15 years In-ground:A	Approved
15 years In-ground:B	C2
15 years In-ground:C	C3
15 years In-ground:D	C4

Botanical name	<i>Eucalyptus eugenioides</i>
50 years protected	Approved
50 years Above-ground:A	Approved
50 years Above-ground:B	Approved
50 years Above-ground:C	H3!
50 years Above-ground:D	H3!
50 years In-ground:A	C3, C11
50 years In-ground:B	C7, C11
50 years In-ground:C	C8, C11
50 years In-ground:D	C8, C11