



Published on QTimber (<https://qtimber.daf.qld.gov.au>)

[Home](#) > [Build with timbers summary](#) > [Build with timbers summary](#) > [Build with timbers summary](#) >

[Help](#)

| |
|--|
| <p>Location details</p> <p>Palm Island Aboriginal Shire</p> <p>Above-ground: D</p> <p>In-ground: D</p> |
| <p>Building member details</p> <p>Battens (<i>External wall</i>)</p> <p>Environment: Exposed</p> <p>Target design life (years): 15</p> |

Properties for [stringybark, white]

[Download report](#)

| | |
|--------------------------------|--|
| Standard trade name | stringybark, white |
| Botanical name | <i>Eucalyptus eugenioides</i> |
| Synonyms | <i>Eucalyptus nigra</i> , <i>Eucalyptus wilkinsoniana</i> |
| Origin | Queensland-north, Queensland-central, Queensland-south, Australia |
| Schedule | Schedule B |
| Hardwood | Yes |
| Density (kg/m3) | 1010 |
| Durability above-ground | (2) |
| Durability in-ground | (2) |
| Hardness | VH |
| Joint dry (JD) | JD1 |
| Joint green (JG) | J2 |
| Strength dry (SD) | (SD3) |

| | |
|-------------------------------|---------------------------|
| Standard trade name | stringybark, white |
| Strength green (SG) | (S2) |
| Bushfire resisting | No |
| Lyctine susceptibility | NS |
| Termite resistance | NR |
| Advisory codes | |

Target design life, hazard zones and conditions for use

| Botanical name | <i>Eucalyptus eugenioides</i> |
|--------------------------------|--------------------------------------|
| 5 years above-ground | Approved |
| 15 years protected | Approved |
| 15 years Above-ground:A | Approved |
| 15 years Above-ground:B | Approved |
| 15 years Above-ground:C | Approved |
| 15 years Above-ground:D | Approved |
| 15 years In-ground:A | Approved |
| 15 years In-ground:B | C2 |
| 15 years In-ground:C | C3 |
| 15 years In-ground:D | C4 |

| Botanical name | <i>Eucalyptus eugenioides</i> |
|--------------------------------|--------------------------------------|
| 50 years protected | Approved |
| 50 years Above-ground:A | Approved |
| 50 years Above-ground:B | Approved |
| 50 years Above-ground:C | H3! |
| 50 years Above-ground:D | H3! |
| 50 years In-ground:A | C3, C11 |
| 50 years In-ground:B | C7, C11 |
| 50 years In-ground:C | C8, C11 |
| 50 years In-ground:D | C8, C11 |

QTimber (<http://qtimber.daf.qld.gov.au>)
