



Properties

[Download pdf](#)

Botanical name	<i>Corymbia citriodora</i>	<i>Corymbia henryi</i>	<i>Corymbia maculata</i>
Synonyms	<i>Eucalyptus citriodora</i> , <i>Eucalyptus henryi</i> , <i>Eucalyptus maculata</i>	<i>Eucalyptus citriodora</i> , <i>Eucalyptus henryi</i> , <i>Eucalyptus maculata</i>	<i>Eucalyptus citriodora</i> , <i>Eucalyptus henryi</i> , <i>Eucalyptus maculata</i>
Origin	Queensland-north, Queensland-central, Queensland-south	Queensland-south, Australia	Queensland-central, Queensland-south, Australia
Schedule	Schedule B	Schedule B	Schedule B
Hardwood	Yes	Yes	Yes
Density (kg/m3)	1010	1010	1010
Durability above-ground	(1)	(1)	(1)
Durability in-ground	(2)	(2)	(2)
Hardness	VH	VH	VH
Joint dry (JD)	JD1	JD1	JD1
Joint green (JG)	J1	J1	J1
Strength dry (SD)	(SD2)	(SD2)	(SD2)
Strength green (SG)	(S2)	(S2)	(S1)
Bushfire resisting	Yes	Yes	Yes
Lyctine susceptibility	(SL)	(SL)	(SL)
Termite resistance	R	R	R
Advisory codes			

Target design life, hazard zones and conditions for use

Botanical name	<i>Corymbia citriodora</i>	<i>Corymbia henryi</i>	<i>Corymbia maculata</i>
5 years above-ground	Approved	Approved	Approved
15 years protected	Approved	Approved	Approved
15 years Above-ground:A	Approved	Approved	Approved
15 years Above-ground:B	Approved	Approved	Approved
15 years Above-ground:C	Approved	Approved	Approved
15 years Above-ground:D	Approved	Approved	Approved

Botanical name	<i>Corymbia citriodora</i>	<i>Corymbia henryi</i>	<i>Corymbia maculata</i>
15 years In-ground:A	Approved	Approved	Approved
15 years In-ground:B	C2	C2	C2
15 years In-ground:C	C3	C3	C3
15 years In-ground:D	C4	C4	C4

Botanical name	<i>Corymbia citriodora</i>	<i>Corymbia henryi</i>	<i>Corymbia maculata</i>
50 years protected	Approved	Approved	Approved
50 years Above-ground:A	Approved	Approved	Approved
50 years Above-ground:B	Approved	Approved	Approved
50 years Above-ground:C	Approved	Approved	Approved
50 years Above-ground:D	Approved	Approved	Approved
50 years In-ground:A	C1, C11	C1, C11	C1, C11
50 years In-ground:B	C7, C11	C7, C11	C7, C11
50 years In-ground:C	C8, C11	C8, C11	C8, C11
50 years In-ground:D	C9, C11	C9, C11	C9, C11

QTimber (<http://qtimber.daf.qld.gov.au>)
