



Published on *QTimber* (<https://qtimber.daf.qld.gov.au>)

[Home](#) > [Build with timbers summary](#) > [Build with timbers summary](#) > [Build with timbers summary](#) >

[Help](#)

<p>Location details</p> <p>Rockhampton Regional</p> <p><b>Above-ground:</b> C</p> <p><b>In-ground:</b> C</p>
<p>Building member details</p> <p>Doors</p> <p><b>Environment:</b> Exposed</p> <p><b>Target design life (years):</b> 15</p>

## Properties for [box, grey]

[Download report](#)

Standard trade name	box, grey	box, grey
<b>Botanical name</b>	<i>Eucalyptus moluccana</i>	<i>Eucalyptus woollsiana</i> ssp. <i>microcarpa</i>
<b>Synonyms</b>	<i>Eucalyptus microcarpa</i>	<i>Eucalyptus microcarpa</i>
<b>Origin</b>	Queensland-north, Queensland-central, Queensland-south, Australia	Queensland-south, Australia
<b>Schedule</b>	Schedule B	Schedule B
<b>Hardwood</b>	Yes	Yes
<b>Density (kg/m3)</b>	1105	1105
<b>Durability above-ground</b>	(1)	(1)
<b>Durability in-ground</b>	1	1
<b>Hardness</b>	VH	VH
<b>Joint dry (JD)</b>	JD1	JD1
<b>Joint green (JG)</b>	J1	J1
<b>Strength dry (SD)</b>	(SD2)	(SD2)

<b>Standard trade name</b>	<b>box, grey</b>	<b>box, grey</b>
<b>Strength green (SG)</b>	(S1)	(S2)
<b>Bushfire resisting</b>	No	No
<b>Lyctine susceptibility</b>	(SL)	(SL)
<b>Termite resistance</b>	R	R
<b>Advisory codes</b>		

## Target design life, hazard zones and conditions for use

<b>Botanical name</b>	<b><i>Eucalyptus moluccana</i></b>	<b><i>Eucalyptus woollsiana ssp. microcarpa</i></b>
<b>5 years above-ground</b>	Approved	Approved
<b>15 years protected</b>	Approved	Approved
<b>15 years Above-ground:A</b>	Approved	Approved
<b>15 years Above-ground:B</b>	Approved	Approved
<b>15 years Above-ground:C</b>	Approved	Approved
<b>15 years Above-ground:D</b>	Approved	Approved
<b>15 years In-ground:A</b>	Approved	Approved
<b>15 years In-ground:B</b>	Approved	Approved
<b>15 years In-ground:C</b>	Approved	Approved
<b>15 years In-ground:D</b>	C1	C1

<b>Botanical name</b>	<b><i>Eucalyptus moluccana</i></b>	<b><i>Eucalyptus woollsiana ssp. microcarpa</i></b>
<b>50 years protected</b>	Approved	Approved
<b>50 years Above-ground:A</b>	Approved	Approved
<b>50 years Above-ground:B</b>	Approved	Approved
<b>50 years Above-ground:C</b>	Approved	Approved
<b>50 years Above-ground:D</b>	Approved	Approved
<b>50 years In-ground:A</b>	C1	C1
<b>50 years In-ground:B</b>	C7, C14	C7, C14
<b>50 years In-ground:C</b>	C8	C8
<b>50 years In-ground:D</b>	C8	C8

QTimber (<http://qtimber.daf.qld.gov.au>)